






## Moodulkorsten "Vulcano Plus", paksus 0,5mm., sisetoru materjal: AISI316L T600


Toru 1000mm (VP0001)	Välistoru mat.	80/180	100/200	115/220	120/220	130/230	150/250	160/260	180/280	200/300	220/320	230/330	250/350	300/400				
	Alutsink, Rannila	77	77	77	78	80	94	100	106	111	127	142	148	176				
	AISI304	78	78	83	83	89	101	106	109	125	133	150	158	186				
	AISI304 + VÄRV	90	90	95	95	102	116	121	125	144	153	172	181	214				


Toru 500mm (VP0002)	Välistoru mat.	80/180	100/200	115/220	120/220	130/230	150/250	160/260	180/280	200/300	220/320	230/330	250/350	300/400				
	Alutsink, Rannila	46	46	47	47	48	57	61	64	67	77	85	89	105				
	AISI304	47	47	50	50	54	61	64	66	75	80	90	95	112				
	AISI304 + VÄRV	54	54	57	57	62	70	73	75	86	92	103	109	128				


Toru 250mm (VP0003)	Välistoru mat.	80/180	100/200	115/220	120/220	130/230	150/250	160/260	180/280	200/300	220/320	230/330	250/350	300/400				
	Alutsink, Rannila	23	23	24	24	24	29	30	32	34	39	43	45	53				
	AISI304	24	24	25	25	27	31	32	33	38	40	45	48	56				
	AISI304 + VÄRV	27	27	29	29	31	35	37	38	43	46	52	55	64				


<b>T-liide 90° (VP0004)</b>		Välistoru	80/180	100/200	115/220	120/220	130/230	150/250	160/260	180/280	200/300	220/320	230/330	250/350	300/400				
	<b>Alutsink, Rannila</b>	82	82	91	91	97	114	124	132	139	155	159	170	206					
	<b>AISI304</b>	87	87	97	97	106	116	131	137	143	164	169	180	219					
	<b>AISI304 + VÄRV</b>	99	99	111	111	121	133	151	158	165	189	194	207	252					


<b>T-liide 45° (VP0005)</b>		Välistoru	80/180	100/200	115/220	120/220	130/230	150/250	160/260	180/280	200/300	220/320	230/330	250/350	300/400				
	<b>Alutsink, Rannila</b>	90	90	100	100	106	125	136	145	153	170	175	187	227					
	<b>AISI304</b>	95	95	106	106	116	128	144	151	158	181	185	198	241					
	<b>AISI304 + VÄRV</b>	109	109	122	122	134	146	166	173	181	208	213	228	277					


<b>T-liide kond.kollektoriga. (VP0006)</b>		Välistoru	80/180	100/200	115/220	120/220	130/230	150/250	160/260	180/280	200/300	220/320	230/330	250/350	300/400				
	<b>Alutsink, Rannila</b>	97	97	110	110	122	137	149	163	181	186	191	204	248					
	<b>AISI304</b>	103	103	116	116	130	145	158	174	192	198	203	217	264					
	<b>AISI304 + VÄRV</b>	119	119	134	134	149	167	181	199	221	227	233	249	303					

<b>Puhastuskolmik (VP0007)</b>		Välistoru	80/180	100/200	115/220	120/220	130/230	150/250	160/260	180/280	200/300	220/320	230/330	250/350	300/400				
	<b>Alutsink, Rannila</b>	107	107	121	121	135	150	163	180	199	205	210	225	273					
	<b>AISI304</b>	113	113	128	128	143	159	174	191	211	217	223	239	290					
	<b>AISI304 + VÄRV</b>	130	130	147	147	164	183	199	216	243	250	256	274	333					


 90	Välistoru	80/180	100/200	115/220	120/220	130/230	150/250	160/260	180/280	200/300	220/320	230/330	250/350	300/400				
	Alutsink, Rannila	79	81	84	85	87	98	108	112	123	137	148	156	194				
	AISI304	84	85	87	88	95	107	113	128	138	144	152	160	197				
	AISI304 + VÄRV	96	98	100	101	109	123	130	147	159	166	175	184	227				


 45	Välistoru	80/180	100/200	115/220	120/220	130/230	150/250	160/260	180/280	200/300	220/320	230/330	250/350	300/400				
	Alutsink, Rannila	61	63	65	66	67	76	84	86	95	106	115	121	150				
	AISI304	65	66	68	68	69	81	87	94	109	112	118	124	153				
	AISI304 + VÄRV	75	76	78	78	80	93	100	108	125	129	135	142	175				


 30	Välistoru	80/180	100/200	115/220	120/220	130/230	150/250	160/260	180/280	200/300	220/320	230/330	250/350	300/400				
	Alutsink, Rannila	64	66	68	69	71	80	88	91	100	111	120	127	157				
	AISI304	68	69	71	72	73	85	92	99	114	117	123	130	160				
	AISI304 + VÄRV	78	80	82	82	84	97	105	113	131	135	142	149	184				


 Koonus-löpetus (VP0012)	80/180	100/200	115/220	120/220	130/230	150/250	160/260	180/280	200/300	220/320	230/330	250/350	300/400				
	50	50	53	53	55	65	69	71	77	88	98	102	122				
	53	53	56	56	58	68	72	74	85	90	101	107	126				
	61	61	65	65	66	78	82	85	97	104	116	123	145				





<b>Adapter (VP0018)</b>		80/180	100/200	115/220	120/220	130/230	150/250	160/260	180/280	200/300	220/320	230/330	250/350	300/400				
		31	32	32	33	35	37	39	41	43	47	49	53	55				


<b>Katusekatik (VP0019)</b>		180	200	220	220	230	250	260	280	300	320	330	350	400				
	<b>Alutsink, Rannila</b>	77	79	80	81	82	93	98	102	109	129	137	142	168				
	<b>AISI304</b>	89	89	91	94	94	106	112	118	133	144	154	168	193				
	<b>AISI304 + VÄRV</b>	106	107	109	113	113	127	135	142	159	173	184	202	231				


<b>Korstnamüts (VP0020)</b>		80	100	115	120	130	150	160	180	200	220	230	250	300	350	400
		22	22	23	23	25	27	29	33	37	44	44	48	64	67	86


<b>Korstnamüts sädemvõrguga (VP0021)</b>		80	100	115	120	130	150	160	180	200	220	230	250	300	350	400
		29	31	35	35	36	41	43	49	51	63	65	74	85	96	125


Seina/laekatik (VP0022)		Dn 180- 300 600/600mm	Dn 310- 500 800/800mm
	Alutsink, Rannila	27	30
	AISI304	30	35
	AISI304 + +VÄRV	34	40


Seina/laekatik (VP0023)		Dn 180- 300 600/600mm	Dn 310- 500 800/800mm
	Alutsink, Rannila	32	35
	AISI304	35	42
	AISI304 + VÄRV	39	46


Kinnitusklamber (VP0024)	DN200-250	DN260-310	DN310-400
	8	10	17


Räästakinnitus ( 50mm)(VP0025)	180	200	220	225	230	250	260	280	300	320	330	350	400
	24	25	27	29	30	33	36	40	44	45	46	49	60


Seinakinnitus 300mm (VP0026)	180	200	220	225	230	250	260	280	300	320	330	350	400				
	25	26	27	27	27	32	34	34	38	42	42	46	49				


Vahelae/sarikakinnitus (VP0027)	180	200	220	225	230	250	260	280	300	320	330	350	400				
	27	28	29	29	30	34	34	36	38	48	48	52	56				


Kinnitushaarad (VP0036)	180-200	220-250	260-300	320-400
 1500mm.	53	67	70	87
2000mm.	58	70	77	96


Seinakinnitus (VP0029)	180	200	220	225	230	250	260	280	300	320	330	350	400				
 Pikkus kuni 500mm	31	34	36	39	39	39	42	43	47	53	53	60	65				
Pikkus üle 500mm	39	41	44	48	49	53	54	56	60	64	64	72	78				


Konsool (VP0030)	180	200	220	225	230	250	260	280	300	320	330	350	400				
 H<500mm	65	66	67	69	70	73	75	78	82	83	84	86	95				
H>500mm	79	81	83	86	87	91	94	98	103	105	106	110	123				

Kolmnurktugi (VP0031)	180	200	220	225	230	250	260	280	300	320	330	350	400				
 Pikkus kuni 500mm	74	76	77	80	80	84	87	90	94	96	97	100	110				
Pikkus üle 500mm	90	93	93	96	97	101	104	109	114	115	116	120	133				

Seinakinnitus reg. 50-150mm (VP0032)	180	200	220	230	250	260	280	300
	37	39	42	45	49	52	59	68

Seinakonsool (VP0033)	180	200	220	230	250	260	280	300
	95	96	98	103	108	113	118	124

Trossi kinnitus(VP0034)	180	200	220	230	250	260	280	300
	19	20	21	22	24	27	31	36

Korstnamüts lõpetusega(VP0035)	80-180	100-200	120-220	130-230	150-250	160-260	180-280	200-300
	66	66	66	69	72	72	72	75